

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"20010033568".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/27 13:53
L3	3	(system same clock same generator same parallel same serial same register same input same word) .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:57
L4	0	(system same clock same generator same parallel same serial same register same align\$3 same word) .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:57
L5	2	Spooner-Robert-John.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:58
L6	91	((clock near2 recover\$3) same (parallel near2 serial)) and (data near3 transmi\$6) same word\$2 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:03
L7	46	((clock near2 recover\$3) same (parallel near2 serial)) and (data near3 transmi\$6) same word\$2 and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:04
L8	195	((clock near2 recover\$3) same (parallel near2 serial)) and (data near3 transmi\$6) same word\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:04
L9	70	((clock near2 (recover\$3 generat\$3)) same (parallel near2 serial)) SAME (data near3 transmi\$6) same word\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:04
L10	499	((clock near2 (recover\$3 generat\$3)) same (parallel near2 serial)) AND (data near3 transmi\$6) same word\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:04

L11	679	(plurality near5 (SUBLINK SUB-LINK SUBCHANNEL channel\$1)) AND (divid\$5 near4 word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:07
S1	177	370/507.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/04 11:47
S2	1649	370/509.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 12:15
S3	112	370/518.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 12:15
S4	165	370/519.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 12:16
S5	1897	370/503.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 14:07
S6	151	(clock same transfer\$) and (parallel with serial) and (bandwidth same FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 14:10
S7	151	(clock same transfer\$) and (parallel with serial) and bandwidth same FIFO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 14:09
S8	218	(clock with transfer\$) and (parallel with serial) and (chip or IC) and FIFO and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 15:08
S9	25	((clock with transfer\$) same (parallel with serial)) and (chip or IC) and FIFO and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 14:26

S10	103	((clock with transfer\$) same (parallel with serial)) and (data with transmi\$6) and word\$2 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 14:02
S11	129	((clock with generat\$5) same (parallel with serial)) and (data with transmi\$6) and word\$2 and (IC or chip\$2) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 15:07
S12	120	((clock with generat\$5) same (parallel with serial)) and (data with transmi\$6) and (word\$2 same (divid\$3 or split\$3)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 14:39
S13	101	((clock with generat\$5) same (parallel with serial)) and (data with transmi\$6) and (word\$2 same divid\$3) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 14:46
S14	72	((clock with generat\$5) same ((parallel with serial) same convert\$4 or translat\$4)) and (data with transmi\$6) and (word\$2 same divid\$3) and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 14:47
S15	62	((clock with generat\$5) same ((parallel with serial) same convert\$4 or translat\$4)) and (serial\$3 with transmi\$6) and (word\$2 same (divid\$3 or split\$3)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 14:49
S16	70	((clock with generat\$5) same ((parallel with serial) same convert\$4 or translat\$4)) and (serial\$3 with data) and (word\$2 same (divid\$3 or split\$3)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 15:00
S17	22	(clock same (high with speed)) same ((parallel with serial) with (convert\$4 or translat\$4)) and (serial\$3 with data) and (word\$2 with (divid\$3 or split\$3)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 15:07
S18	60	clock and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 15:07

S19	49	(clock same (high with speed)) same ((parallel with serial) with (convert\$4 or translat\$4)) and (serial\$3 with data) and (word\$2 with (divid\$3 or split\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 15:08
S20	22	(clock with generat\$4) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3)) and (IC or chip\$2) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 15:16
S21	14	(clock with generat\$4) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3)) and (IC or chip\$2) and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 15:17
S22	40	clock and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3)) and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 15:18
S23	35	((clock with generat\$4) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3))) and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:29
S24	36	((clock with (generat\$4 or recover\$3)) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3))) and "375". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:54
S25	97	((clock with (generat\$4 or recover\$3)) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3))) and align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:57
S26	18	((clock with (generat\$4 or recover\$3)) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3))) and align\$4 and (system adj clock\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:00

S27	2	"6377575".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:00
S28	37	((clock with (generat\$4 or recover\$3)) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with (speed or rate)) and (word\$2 with (divid\$3 or split\$3))) and align\$4 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:07
S29	22	((clock with (generat\$4 or recover\$3)) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with (speed or rate)) and (word\$2 with (divid\$3 or split\$3))) and align\$4 and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:20
S30	66	((clock with (generat\$4 or recover\$3)) and ((parallel with serial) with (convert\$4 or translat\$4)) and (high with (speed or rate)) and (word\$2 with (divid\$3 or split\$3))) and "375". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:21
S31	1	((clock with generat\$4) and SERDES and (high with speed with data) and (word\$2 with (divid\$3 or split\$3))) and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:30
S32	3	((clock with generat\$4) and SERDES and (high with speed with data) and (word\$2 with (divid\$3 or split\$3))) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:32
S33	14	((clock with generat\$4) and (SERDES or (serial\$5 and deserial\$5)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3))) and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:33
S34	30	((clock with generat\$4) and (SERDES or (serial\$5 and deserial\$5)) and (high with speed with data) and (word\$2 with (divid\$3 or split\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:37

S35	34	(clock with (generat\$4 or recover\$4)) and (SERDES or (serial\$5 and deserial\$5)) and (high with speed) and (word\$2 with (divid\$3 or split\$3)) and (IC or chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:44
S36	37	(clock with (generat\$4 or recover\$4)) and (SERDES or (serial\$5 and deserial\$5)) and (high with (speed or rate)) and (word\$2 with (divid\$3 or split\$3)) and (IC or chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 17:47
S37	2	(clock with (generat\$4 or recover\$4)) and (SERDES or (serial\$5 and deserial\$5)) and (word\$2 with (dividing)) and (IC or chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 14:16
S38	24	(clock with (generat\$4 or recover\$4)) and (SERDES or (seri\$6 and deseri\$6)) and (word\$2 with (dividing or sub\$3)) and (IC or chip\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 13:19
S39	497	(clock with (generat\$4 or recover\$4)) and (SERDES or (seri\$6 and deseri\$6)) and (word\$2) and (IC or chip\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 13:19
S40	308	(clock with (generat\$4 or recover\$4)) and (SERDES or (seri\$6 and deseri\$6)) and (word\$2) and (IC or chip\$2) and align\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 13:20
S41	120	(clock with (generat\$4 or recover\$4)) and (SERDES or (seri\$6 and deseri\$6)) and (word\$2) and (IC or chip\$2) and align\$4 and (seri\$4 with parallel\$3 with conver\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 14:16
S42	4	("5574733" "5758104" "5787114" "5907566").PN.	USPAT	OR	OFF	2004/09/15 15:53
S43	7	(clock with (generat\$4 or recover\$4)) and (SERDES or (transeiv\$3)) and (word\$2 with (interlea\$4)) and (IC or chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 14:17
S44	1	(clock with (generat\$4 or recover\$4)) and (SERDES or (transeiv\$3)) and (word\$2 with (interlea\$4)) and (IC or chip) and PLL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:49

S45	45	(plurality near5 channel\$1) same (divid\$5 near4 word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 14:06
S46	2	("6201829" "6738935").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/16 07:41
S47	89	375/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:49
S48	1139	375/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:50
S66	2	"20010033568".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/04 11:47